Method for Measuring High Tracer Concentrations in River Mixing Studies

Filip Bojdecki, Monika Kalinowska

VegMix

Institute of Geophysics
Polish Academy of Sciences

NATIONAL SCIENCE CENTRE
POLAND

How to study pollution spreading?

Institute of Geophysics
Polish Academy of Sciences

Release it on purpose!

Institute of Geophysics
Polish Academy of Sciences



Institute of Geophysics
Polish Academy of Sciences





Institute of Geophysics
Polish Academy of Sciences



Institute of Geophysics
Polish Academy of Sciences

Institute of Geophysics
Polish Academy of Sciences



Institute of Geophysics
Polish Academy of Sciences





Jabłoński Diagram



Jabłoński Diagram



Jabłoński Diagram



Jabłoński Diagram



Jabłoński Diagram





Institute of Geophysics
Polish Academy of Sciences



Institute of Geophysics
Polish Academy of Sciences

Institute of Geophysics
Polish Academy of Sciences

measured concentration



Institute of Geophysics
Polish Academy of Sciences

measured concentration

identity line



Institute of Geophysics
Polish Academy of Sciences

measured concentration

identity line

turbidity used for retrieval

turbidity used for fit



Institute of Geophysics
Polish Academy of Sciences

measured concentration

identity line

turbidity used for retrieval

turbidity used for fit



Institute of Geophysics
Polish Academy of Sciences

measured concentration

identity line

turbidity used for retrieval

turbidity used for fit

fitted function line



Institute of Geophysics
Polish Academy of Sciences

measured concentration

identity line

turbidity used for retrieval

turbidity used for fit

fitted function line

retrieved concentration



Institute of Geophysics
Polish Academy of Sciences



Institute of Geophysics
Polish Academy of Sciences



Method for Measuring High Tracer Concentrations in River Mixing Studies

Filip Bojdecki, Monika Kalinowska

VegMix

Institute of Geophysics
Polish Academy of Sciences

NATIONAL SCIENCE CENTRE
POLAND

grant number 2024/53/B/ST10/01460



$$I = I_0 e^{-\mu x c}$$

$$I = \int_V \rho dV$$

$$I = \frac{L_y L_z \rho}{\mu c}(e^{-\mu L_x c} - 1)$$

$$I = \int_V \rho e^{-\mu x c} dV$$

$$I(c) = \frac{P_1}{c}(e^{-P_2 c} - 1) + P_3$$

Contents lists available at ScienceDirect

Water Research

journal homepage: www.elsevier.com/locate/watres

Assessing the aquatic toxicity and environmental safety of tracer compounds Rhodamine B and Rhodamine WT

L.M. Skjolding[a,*], L.vG. Jørgensen[b], K.S. Dyhr[a], C.J. Köppl[a], U.S. McKnight[a], P. Bauer-Gottwein[a], P. Mayer[a], P.L. Bjerg[a], A. Baun[a]

[a] Department of Environmental Engineering, Technical University of Denmark, Bygningstorvet, Building 115, DK-2800 Kgs. Lyngby, Denmark
[b] Department of Veterinary and Animal Science, University of Copenhagen, Stigbøjlen 7, DK-1870 Frederiksberg C, Denmark

VERSITA

Acta Geophysica
vol. 59, no. 1, Feb. 2011, pp. 91-109
DOI: 10.2478/s11600-010-0024-7

Influence of Selected Fluorescent Dyes on Small Aquatic Organisms

Paweł M. ROWIŃSKI[1] and Marcin M. CHRZANOWSKI[2]

[1]Institute of Geophysics, Polish Academy of Sciences, Warszawa, Poland
e-mail: pawelr@igf.edu.pl (corresponding author)

[2]Institute of Applied Physics of the Military University of Technology, Warszawa, Poland, e-mail: mchrzanowski@wat.edu.pl